

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	("matinez-juan.in.philipp-ralf.in.sommerlade-frank.in.(SAPadjAKTIENGESELLSCHAFT).as.").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/12/04 18:16
L2	0	("martinez-juan.in.philipp-ralf.in.sommerlade-frank.in.(SAPadjAKTIENGESELLSCHAFT).as.").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/12/04 18:16
L3	5	martinez-juan.in. philipp-ralf.in.sommerlade-frank.in.(SAPadjAKTIENGESELLSCHAFT).as.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/04 18:16
S1	1	"20050204055".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/26 07:47
S2	1	"20040015366"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/26 08:21
S3	1	"20040015366".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/26 08:21
S4	310	martinez-juan-carlo.in. philipp-ralf.in.sommerlade-frank.in.(SAP adj AKTIENGESELLSCHAFT).as.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/26 11:41
S5	3431	xsl	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/26 13:24
S6	3788	xsl or (Extensible adj Stylesheet adj Language)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/26 13:25
S7	3788	xsl or (Extensible adj Stylesheet adj Language) Extensible-Stylesheet-Language	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/26 13:25
S8	4035947	translate format change customiz\$4 customis\$4 re\$1format\$3 arrang\$4 configur\$3 re\$1configur\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/26 13:28
S9	133	S7 and (S8 same ((code program routine instruction subroutine) same (automatic automat\$3)) same (client desktop user) same (data indexes indices information file record note))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/26 13:35
S10	63	S9 and @ad<"20040312"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/26 13:36

## EAST Search History

S11	89454	709/232.ccls. 370/229-546.ccls. 710/61.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/26 14:38
S12	205	S11 and (S8 same ((code program routine instruction subroutine) same (automatic automat\$3)) same (client desktop user) same (data indexes indices information file record note))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/26 14:39
S13	112	S12 and @ad<"20040312"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/26 14:40
S14	1	"6772413".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/26 15:29
S15	65	("4754428"   "5142622"   "5239662"   "5283887"   "5315710"   "5428771"   "5509121"   "5530842"   "5535373"   "5546584"   "5557776"   "5557780"   "5630101"   "5638517"   "5680552"   "5694580"   "5706434"   "5708778"   "5708828"   "5729755"   "5740374"   "5758194"   "5778189"   "5787255"   "5793958"   "5812766"   "5825774"   "5826017"   "5826219"   "5835789"   "5841985"   "5852660"   "5916305"   "5918063"   "5940075"   "5943481"   "5951645"   "5961594"   "5966545"   "5987256"   "5991539"   "6006267"   "6009471"   "6014712"   "6021275"   "6032147"   "6034963"   "6038565"   "6125391"   "6195662"   "6195664"   "6226675"   "6295541"   "6336124"   "6377952"   "6411395"   "6463445"   "6488209"   "6502236"   "6507857"   "6532473"   "6601056"   "6654950"   "6671701"   "6687873").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/26 15:39
S16	18	("6772413").URPN.	USPAT	OR	ON	2007/11/26 15:41
S20	3	S15 and xsl	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/26 15:43
S21	1	"6681383".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/26 15:45

## EAST Search History

S22	1	"7137100".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/26 15:57
S23	111	S13 not S10	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/26 16:03
S24	106	automat\$4 same translat\$3 same code same generator	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/26 16:07
S25	74	S24 and ((client or user) same (format or data))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/26 16:09
S26	47	S25 and @ad<"20040312"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/26 16:09
S27	0	S26 and S7	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/26 16:09
S28	0	"2002010014".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/26 16:38
S29	1	"20020100014".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/26 16:38
S30	0	"20020062475.pn"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/26 16:47
S31	1	"20020062475".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/26 16:48
S32	0	S31 and (transla\$3 adj data)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/26 16:48
S33	1	S31 and ((transla\$3 or format or change or arrange or configure or reconfigure) adj data)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/26 16:49
S34	612631	(code program routine instruction subroutine) same (generator creator maker producer constructor) same (configur\$2 defin\$2 arranged organize\$2 constructed) same (client user) (data file message) same (format structure layout)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/26 17:02

## EAST Search History

S35	612020	((code program routine instruction subroutine) adj (generator creator maker producer constructor)) or translator) same (configur\$2 defin\$2 arranged organize\$2 constructed) same (client user) (data file message) same (format structure layout)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/26 17:07
S36	209256	((code program routine instruction subroutine) adj (generator creator maker producer constructor)) or translator) same (configur\$2 defin\$2 arranged organize\$2 constructed) same (client user) ((data file message) adj (format structure layout))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/26 17:08
S37	26982	S36 and (S6 or xml or (extensible adj markup adj language) or extensible-markup-language)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/26 17:19
S38	1844	S36 and (S6 or xml or (extensible adj markup adj language) or extensible-markup-language).ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/26 17:19
S39	3792	xsl or (Extensible adj Stylesheet adj Language)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/27 08:42
S40	209514	((code program routine instruction subroutine) adj (generator creator maker producer constructor)) or translator) same (configur\$2 defin\$2 arranged organize\$2 constructed) same (client user) ((data file message) adj (format structure layout))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/27 08:42
S41	115	((translation) same S40) and (S39 or xml or (extensible adj markup adj language) or extensible-markup-language).ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/27 08:42
S42	231	((translat\$3) same S40) and (S39 or xml or (extensible adj markup adj language) or extensible-markup-language).ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/27 08:43
S43	164	S42 and @ad<"20040312"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/27 08:44
S44	6	translation adj code adj generator	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/27 08:53
S45	14	(code adj generator) with (client and data and format)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/27 09:03

## EAST Search History

S46	14	((code adj generator) with (client and data and format)) and (transmit\$3 send\$3 request\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/27 09:18
S47	1	((translat\$3 with (code adj generator)) with (client and data and format)) and (transmit\$3 send\$3 request\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/27 09:20
S48	2182	(api or application\$1programming\$1interfa ce\$1).ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/27 09:23
S49	2283	(api or application\$1programming\$1interfa ce\$1 xsl extensible\$1stylesheet\$1language). ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/27 09:24
S50	25	S49 and ((translat\$5 transform\$5 conver\$4) with ((code program) adj (generat\$4 construct\$3 producer)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/27 09:38